

United States Patent and Trademark Office

MERCE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

DATE MAILED: 10/13/2004

| APPLICATION NO. | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO. |
|---|-----------------|----------------------|---------------------|------------------|
| 10/617,575 | 07/11/2003 | Jerry Wu | 3544 | |
| 25859 | 7590 10/13/2004 | | EXAM | INER |
| WEI TE CHUNG | | | LEON, EDWIN A | |
| FOXCONN INTERNATIONAL, INC. 1650 MEMOREX DRIVE | | | ART UNIT | PAPER NUMBER |
| SANTA CLARA, CA 95050 | | | 2833 | |

Please find below and/or attached an Office communication concerning this application or proceeding.

Application No. Applicant(s) WU, JERRY 10/617,575 Advisory Action **Art Unit** Examiner 2833 Edwin A. León -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --THE REPLY FILED 28 September 2004 FAILS TO PLACE THIS APPLICATION IN CONDITION FOR ALLOWANCE. Therefore, further action by the applicant is required to avoid abandonment of this application. A proper reply to a final rejection under 37 CFR 1.113 may only be either: (1) a timely filed amendment which places the application in condition for allowance; (2) a timely filed Notice of Appeal (with appeal fee); or (3) a timely filed Request for Continued Examination (RCE) in compliance with 37 CFR 1.114. PERIOD FOR REPLY [check either a) or b)] a) The period for reply expires 3 months from the mailing date of the final rejection. b) The period for reply expires on: (1) the mailing date of this Advisory Action, or (2) the date set forth in the final rejection, whichever is later. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of the final rejection. ONLY CHECK THIS BOX WHEN THE FIRST REPLY WAS FILED WITHIN TWO MONTHS OF THE FINAL REJECTION. See MPEP 706.07(f). Extensions of time may be obtained under 37 CFR 1.136(a). The date on which the petition under 37 CFR 1.136(a) and the appropriate extension fee have been filed is the date for purposes of determining the period of extension and the corresponding amount of the fee. The appropriate extension fee under 37 CFR 1.17(a) is calculated from: (1) the expiration date of the shortened statutory period for reply originally set in the final Office action; or (2) as set forth in (b) above, if checked. Any reply received by the Office later than three months after the mailing date of the final rejection, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b). 1. A Notice of Appeal was filed on _____. Appellant's Brief must be filed within the period set forth in 37 CFR 1.192(a), or any extension thereof (37 CFR 1.191(d)), to avoid dismissal of the appeal. 2. The proposed amendment(s) will not be entered because: (a) they raise new issues that would require further consideration and/or search (see NOTE below); (b) they raise the issue of new matter (see Note below); (c) they are not deemed to place the application in better form for appeal by materially reducing or simplifying the issues for appeal; and/or (d) they present additional claims without canceling a corresponding number of finally rejected claims. NOTE: 3. Applicant's reply has overcome the following rejection(s): _____ 4. Newly proposed or amended claim(s) _____ would be allowable if submitted in a separate, timely filed amendment canceling the non-allowable claim(s). 5. The a) affidavit, b) exhibit, or c) request for reconsideration has been considered but does NOT place the application in condition for allowance because: See Continuation Sheet. 6. The affidavit or exhibit will NOT be considered because it is not directed SOLELY to issues which were newly raised by the Examiner in the final rejection. 7. For purposes of Appeal, the proposed amendment(s) a) will not be entered or b) will be entered and an explanation of how the new or amended claims would be rejected is provided below or appended. The status of the claim(s) is (or will be) as follows: Claim(s) allowed: ____. Claim(s) objected to: 6 and 9. Claim(s) rejected: 1-5,7,8,10-16 and 18. Claim(s) withdrawn from consideration: _____. 8. The drawing correction filed on ____ is a) approved or b) disapproved by the Examiner. 9. Note the attached Information Disclosure Statement(s)(PTO-1449) Paper No(s). 10. ☐ Other:

Continuation Sheet (PTOL-303) 10/617,575

Continuation of 5. does NOT place the application in condition for allowance because: In response to applicant's arguments against the references individually, one cannot show nonobviousness by attacking references individually where the rejections are based on combinations of references. See In re Keller, 642 F.2d 413, 208 USPQ 871 (CCPA 1981); In re Merck & Co., 800 F.2d 1091, 231 USPQ 375 (Fed. Cir. 1986).

In response to Applicant's arguments regarding Claims 1, 12 and 16, that the Peloza reference does not show the pair of side contact beams being used to contact the mating contact but rather shows it holding the contact in the housing, Applicant is reminded that in order to hold the mating contact in the housing contact beams have to contact the mating contact. The fact that the Peloza reference discloses an additional function not claimed is irrelevant.

In response to Applicant's arguments regarding Claims 1, 12 and 16, that the Peloza reference does not show the pair of side contact beams being deflectable relative to the intermediate portion along a second direction different from the first direction, Applicant's attention is directed to Column 3, Lines 42-55 of the Peloza reference in which it is disclosed that the contact beams (40) move transverse to the axis 18. Therefore, it is the Examiner's opinion that the combination of Ohsumi and Peloza would show the pair of side contact beams being deflectable relative to the intermediate portion along a second direction different from the first direction of the central contact beam.

P. AUSTIN BRADLEY
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2800